Cromemco

PRICE LIST

SEPTEMBER 1983

| Model | Description | Price |
|----------|---|------------|
| | | |
| | Personal Computers | |
| C-10 | Z-80A Personal Computer with 64K bytes RAM, 12" display | 995 |
| C-10SP | Super Pak TM with C-10 TM , CFD disk drive, | 1785 |
| 0 1001 | CKBA keyboard, software including, | |
| | WriteMaster, PlanMaster, MoneyMaster, | |
| | Screen Editor, Chess, Structured BASIC and CDOS (C/PM-like) operating system | |
| C-10MP | C-10, CFD disk drive, CKBA keyboard, | 2195 |
| | MicroPro's WordStar, MailMerge, CalcStar, | |
| | InfoStar, and Cromemco's WriteMaster, PlanMaster, MoneyMaster, Screen Editor, | |
| | Chess, Structured BASIC and CDOS | |
| | (C/PM-like) operating system | |
| C-10SPC | SuperPak with C-10, CFD disk drive, CKBC keyboard, software including, WriteMaster | 1985 |
| | PlanMaster, MoneyMaster, Screen Editor, | |
| | Chess, Structured BASIC and CDOS | |
| C-10MPC | (C/PM-like) operating system C-10, CFD disk drive, CKBC keyboard, | 2395 |
| C-10WIFC | MicroPro's WordStar, MailMerge, | 2000 |
| | CalcStar, InfoStar, and Cromemco's | |
| | WriteMaster, PlanMaster, MoneyMaster, Screen Editor, Chess, Structured BASiC and | |
| | CDOS (C/PM-like) operating system | |
| CFD | 5-1/4 " DSDD 390K byte Floppy Disk for C-10 only | 595 |
| СКВА | Standard Keyboard | 195 |
| CKBC | Keyboard with Numeric Pad and Function Keys 120 WPM Daisy Wheel Printer | 395 795 |
| CLU | NOTE: CLQ PRINTER IS FOR C-10 FAMILY | |
| | PRODUCTS ONLY | |
| CST | Ergonomic Stand with Swivel and Tilt | 195 |
| | System Zero ^e | |
| CS0 | Computer System with SCC & MCB216, | 1295 |
| RMB-0 | 4 board slots Rack Mount Brackets for CS0 | 35 |
| | System One TM | |
| CS1 | Z-80 Computer System with ZPU, 64K bytes | 3995 |
| | RAM, Two 390K byte 5-1/4 " floppy disks, | |
| | 8 card slots | 6995 |
| CS1H | Z-80 Computer System with ZPU, 64K bytes RAM, 21M byte (Unformatted Capacity) | 6995 |
| | hard disk, One 390K byte 5-1/4 " floppy disk, | |
| | 8 card slots | 4005 |
| CS1D2 | 68000/Z-80 Computer System with DPU, 256K bytes RAM, Two 390K byte 5-1/4 " floppy | 4995 |
| | disks, 8 card slots | |
| CS1D5E | 68000/Z-80 Computer System with DPU, 512K | 6495 |
| | bytes ECC RAM, Two 390K byte 5-1/4 " floppy disks, 8 card slots | |
| CS1HD2 | 68000/Z-80 Computer System with DPU, 256K | 7995 |
| | bytes RAM, One 21M byte (Unformatted | |
| | Capacity) hard disk, One 390K byte 5-1/4 " floppy disk, 8 card slots | |
| CS1HD5E | 68000/Z-80 Computer System with DPU, 512K | 9495 |
| | bytes ECC RAM, 21M byte (Unformatted | |
| | Capacity) hard disk, One 390K byte 5-1/4 " floppy disk, 8 card slots | |
| RMB-1 | Rack mounted bracket for CS-1 | 65 |
| | System Two ⁹ | |
| CS2 | Z-80 Computer System with ZPU, 64K bytes | 4695 |
| CS2 | RAM, Two 390K byte 5-1/4 " floppy disks, | .500 |
| | 21 card slots | 0.0- |
| CS2H | Z-80 Computer System with ZPU, 64K bytes RAM, One 21M byte (Unformatted Capacity) | 8495 |
| İ | hard disk, Two 390K byte 5-1/4 " floppy disks, | |
| | 21 card slots | |

| | i i | |
|--|--|-----------|
| Model | Description | \$ Price |
| | | Post, St. |
| | System Two® (Continued) | |
| CS2D2 | 68000/Z-80 Computer System with DPU, 256K bytes RAM. Two 390K byte 5-1/4 " floppy disks, | 5995 |
| | 21 card slots | |
| CS2D5E | 68000/Z-80 Computer System with DPU, 512K | 7495 |
| | bytes ECC RAM, Two 390K byte 5-1/4 " floppy | |
| | disks, 21 card slots | |
| CS2HD2 | 68000/Z-80 Computer System with DPU, 256K bytes RAM, One 21M byte (Unformatted | 9495 |
| | Capacity) hard disk, Two 390K byte 5-14 " | |
| | floppy disks, 21 card slots | |
| CS2HD5E | 68000/Z-80 Computer System with DPU, 512K | 10995 |
| | bytes ECC RAM, One 21M byte (Unformatted Capacity) hard disk, Two 390K byte 5-1/4 " | |
| | floppy disks, 21 card slots | |
| Z2X | System Two Cabinet, 21 slot card cage and | 1295 |
| | power supply | |
| ZOTEC Z | System Three® | |
| CS3A | Z-80 Computer System with ZPU, 64K bytes | 6995 |
| | RAM, Two 1.2M byte 8" floppy disks, 21 card slots | |
| СЅЗН | Z-80 Computer System with ZPU, 64K bytes | 9495 |
| | RAM, One 21M byte (Unformatted Capacity) | |
| | hard disk, One 1.2M byte 8" floppy disk, 21 card slots | |
| CS3D2 | 68000/Z-80 Computer with DPU, 256K bytes | 7995 |
| 03302 | RAM, Two 1.2M byte 8" floppy disks, | , 000 |
| | 21 card slots | |
| CS3D5E | 68000/Z-80 Computer System with DPU, 512K | 9995 |
| | bytes ECC RAM, Two 1.2M byte 8" floppy disks, 21 card slots | |
| CS3HD2 | 68000/Z-80 Computer System with DPU, 256K | 10495 |
| | bytes RAM, One 21M byte (Unformatted | |
| | Capacity) hard disk, One 1.2M byte 8" floppy disk, 21 card slots | |
| CS3HD5E | 68000/Z-80 Computer System with DPU, 512K | 12495 |
| | bytes ECC RAM, One 21M byte (Unformatted | |
| | Capacity) hard disk, One 1.2M byte 8" floppy | |
| | disk, 21 card slots | . ·· |
| | Communications | |
| MDM-1200 | 300, 1200 Baud Modem | 1495 |
| | Mass Storage | |
| HD20 | 21 Megabyte (Unformatted Capacity) | 3995 |
| | Disk Drive for System Two® and | |
| | System Three® | 1005 |
| DDF | Dual Double Sided, Double Density 5-1/4 " Drives | 1295 |
| CBL-DFE | External Cable from System to DDF | 145 |
| | for use with CS2 & CS3—requires CBL-DFI) | |
| CBL-DFI | Internal Cable for DDF | 100 |
| TDG | (for use with CS2 & CS3) | 7005 |
| TDS | 9-Track Tape Drive w/Controller | 7995 |
| | Printers | |
| 3703 | Dot Matrix Printer—180 CPS Bidirectional | 3195 |
| 3355B | Fully Formed Character-Printer—55 CPS | 3495 |
| 2715 | (110V/220V) | 1205 |
| 3715 | Dot Matrix Printer—150 CPS | 1295 |
| 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | System Accessories and Desks | |
| MDSK | Computer Workstation Desk | 695 |
| SDSK | Computer Workstation Desk—Small | 395 |
| BRZ-2 | Airflow Unit for CS2/Z2H (Black Finish) | 695 |
| 1 | | |
| | | |

| September 1 | | |
|---------------|--|------------|
| Model | Description | \$ Price |
| | | |
| | Terminals, Keyboards, & Displays | THE T |
| 3102 | CRT Terminal—40 Function Keys | 2295 |
| RGB13 | 13" Color Monitor for SDI | 2995 |
| RGB-CA | Camera Adapter for RGB Color Monitor | 395 |
| C-10 | Z-80A Personal Computer with 64Kb RAM, | 995 |
| | 12" Display | 295 |
| C-1 | 12" CRT Monitor Unit (for use with CTI) | 295 195 |
| CKBA | Standard Qwerty Keyboard (Use with C-1 or C-10) | 195 |
| СКВС | Keyboard with Numeric Pad and Function | 395 |
| CRBO | Keys (Use with C-1 or C-10) | |
| СТІ | Single Card Terminal | 395 |
| | S-100 Microcomputer Components | 100 |
| OPU. | | |
| CPU | 68000/Z-80 Dual Processor Unit | 795 |
| DPU SCC | Z-80 Single Card Computer | 495 |
| ZPU | Z-80 CPU | 395 |
| | 2-00 01 0 | |
| 1/0 | 40 his D/A Convertor | 395 |
| DAC12 | 12-bit D/A Converter | 395 |
| ADC12 | 12-bit A/D Converter IEEE-488 Interface | 595 595 |
| GPIB | | 395 |
| CTI | Single Card Terminal Electrically Isolated 4-Port Parallel I/O Interface | 395 |
| 4PIO 8PIO | 8-Port Parallel Interface | 295 |
| 16FDC | Double Density Floppy Disk Controller | 595 |
| 64FDC | Double Density Floppy Disk Controller | 595 |
| D+7A | Digital/Analog Interface | 295 |
| IOP | Input/Output Processor | 495 |
| PRI | Printer Interface Card | 245 |
| QDRT | 4 Channel Sync/Async Interface (requires IOP) | 595 |
| SDD | Color Digitizer Interface | 995 |
| SDI | High Resolution Color Graphics Interface | 795 |
| SMDI | SMD Hard Disk Interface | 795 |
| TRT | Twin UART Digital Interface | 345 |
| . CSP | C-Bus TM Serial/Parallel Interface (requires IOP) | 595 |
| CNI | Network Interface (requires 1OP) | 395 |
| WDI-II | Winchester Disk Interface | 995 |
| Memory | | |
| MCU | Memory Controller Unit | 495 |
| | (required for error-correcting memory) | |
| 512MSU | 512K byte Error-Correcting Memory | 2995 |
| 16KZ | 16K byte Dynamic RAM Memory | 495 |
| 32KBS | 32K Bytesaver® for Intel 2716s | 345 |
| 48KTP | 48K byte 2-Port Memory (for use with SDI only) | 995 |
| 64KZ-11 | 64K byte Dynamic RAM Memory | 695 |
| 256KZ | 256K byte Dynamic RAM Memory | 1295 |
| Miscellaneous | | |
| CC8 | 8-Slot Card Cage, includes mother board | 195 |
| CC12 | 12-Slot Card Cage, includes mother board | 245 |
| CC21 | 21-Slot Card Cage, includes mother board | 395 |
| EXC | S-100 Extender Board | 65 |
| PS8 | Power Supply for Card Cages | 345 |
| WWB | S-100 Wire Wrap Board | 65 |
| | Cables | |
| CBL0 | Priority Interrupt Chain Cable | 25 |
| CBL0 | 25 Conductor I/O Cable, 15cm (6") for CS0 | 25 25 |
| ODE | OR CS1 | 20 |
| CBL2 | 25 Conductor I/O Cable, 62 cm (24") for CS2 | 25 |
| CBL3 | 25 Conductor I/O Cable, 110 cm (43") for CS3 | 25 |
| CBL-CBUS | 5-50-pin connector C-Bus TM Cable for QDRT | 80 |
| | | |

| Model | Description \$ | Price |
|------------------------|--|--|
| Middel | Description | 71166 21. 12. 12. 12. 12. 12. 12. 12. 12. 12. |
| | Cables (Continued) | |
| CRI CLO | Cable to connect C-10 to CLQ Printer | 95 |
| CBL-CLQ | Cable to connect C-10 to a modem | 50 |
| CBL-CM | | 50 |
| CBL-CS | Cable to connect C-10 to a remote system | 95 |
| CBL-EPSN | Cable to connect C-10 to parallel printer | 95 |
| | Firmware | |
| MCB216 | Monitor/Control Basic—For SCC | 90 |
| IWICD210 | World Order and State of the St | TO SHARE THE STATE OF THE STATE OF |
| | Software | |
| Note: All softwa | are is supplied on either large (8") or small (51/4") dis | kettes. |
| | ending in L indicate large diskettes while those endi | |
| indicate small o | diskettes. | |
| Operating Syste | ems & Diagnostics Group | |
| CDS-S/L | Cromemco Diagnostics Software | 195 |
| CRO-D-S/L | 68000 Cromix® Operating System | 595 |
| CROMIX-S/L | Z-80 Cromix® Operating System | 595 |
| DOS-S/L | Z-80 CDOS Operating System | 95 |
| CXDR-S/L | Cromix [®] I/O Drivers | 595 |
| SMDS-S/L | Cromix® SMD Hard Disk Drivers | 395 |
| Software Tools | (For Z-80A) | |
| COLL-S/L | Cromemco Overlay Linker | 395 |
| DBM-S/L | Data Base Management System | 395 |
| IDS-S/L | IOP Development Software | 595 |
| KSAM-S/L | Keyed Sequential Access Method | 295 |
| RBTE-S/L | Remote Batch Terminal Emulator | 595 |
| | (IBM 2780 Protocol) | |
| SGS-S/L | SDI Graphics Software | 595 |
| TSDI-S/L | Tri-SDI Software | 995 |
| WPS-S/L | Word Processing Software | 295 |
| NET-S/L | C-NET TM Software for CNI (Cromix Only) | 295 |
| Z-80 Languages | | |
| CCC-S/L | C Compiler | 595 |
| FDA-S/L | Z-80 Macro Assembler | 295 |
| FDC-S/L | COBOL Compiler | 595 |
| FDF-S/L | FORTRAN IV Compiler | 295 |
| FDR-S/L | RATFOR (Rational FORTRAN) | 395 |
| 1 271-072 | Preprocessor + FORTRAN IV | |
| LSP-S/L | LISP Interpreter | 395 |
| RPG-S/L | RPG-II Compiler (For Cromix Systems Only) | 595 |
| STB-S/L | Structured BASIC Incremental Compiler | 195 |
| | | |
| 68000 Language | 68000 Macro Assembler | 595 |
| CCC-D-S/L | 68000 C Compiler | 595 |
| COB-D-S/L | 68000 COBOL Compiler | 595 |
| 1 | 68000 FORTRAN 77 Compiler | 595 |
| FOR-D-S/L PAS-D-S/L | 68000 Pascal Compiler | 595 |
| BAS-D-S/L | 68000 BASIC | 595 |
| | | 000 |
| The Master Seri | | |
| FOMR-S/L | FontMaster TM | 595 |
| PLMR-S/L | PlanMaster TM | 295 |
| SPMR-S/L | SpellMaster® | 295 |
| SLMR-S/L | SlideMaster® | 595 |
| STMR-S/L | StatMaster TM | 295 |
| TEMR-S | TeleMaster TM | 295 |
| WRMR-S/L | WriteMaster® | 595 |
| A 44111 6 1 0 - 0 - | ware (For C.10 Only) | |
| | ware (For C-10 Only) | 495 |
| WSTR-S | WordStar* by MicroPro* | 250 |
| MMRG-S | MailMerge* by MicroPro | 195 |
| CSTR-S | CalcStar* by MicroPro | 495 |
| ISTR-S | InfoStar* by MicroPro | |

WordStar, MailMerge, CalcStar and MicroPro are registered trademarks of MicroPro/International Corporation. InfoStar is a trademark of MicroPro/International Corporation.

Suggested U.S. retail prices in dollars.
Prices and specifications are subject to change without notice.

| Part Number | Description | \$ Price |
|----------------------|---|----------|
| | Documentation | |
| 023-0002 | 32K Bytesaver® Manual | 20 |
| 023-0004 | D + 7A Manual | 20 |
| 023-0007 | 16KZ Manual | 5 |
| 023-0011 | TU-ART Manual | 20 |
| 023-0012 | ZPU Manual | 20 |
| 023-0021 | Z-80 Monitor Manual | 20 |
| 023-0022 | ROS Manual | 5 |
| 023-0023 | 3Kb Control Basic Manual | 5 |
| 023-0036 | CDOS Manual | 20 |
| 023-0038 | FORTRAN IV Manual | 35 |
| 023-0039 | Z-80 Macro Assembler Manual | 20 |
| 023-0040 | Text Editor Manual | . 5 |
| 023-0045 | Z-80A Technical Manual | 20 |
| 023-0047 | 8PIO Manual | 20 |
| 023-0049 | Z-80 COBOL Manual | 35 |
| 023-0050 | SCC Manual | 20 |
| 023-0052 | RDOS Manual | 5 |
| 023-0055 | PRI Manual | 5 |
| 023-0063 | DBMS Manual | 5 |
| 023-0067 | RATFOR Manual | 5 |
| 023-0074 | 3703 Technical Manual | 20 |
| 023-0075 | 3703 Operator's Manual | 10 |
| 023-0079 | 4PIO Manual | 5 |
| 023-0080 | Structured Basic Manual | 20 |
| 023-0081 | Screen Editor Manual | 20 |
| 023-2001 | SDI Graphics Interface Manual | 20 |
| 023-2002 | 48KTP Manual | 20 |
| 023-2004 | 16FDC Manual | 20 |
| 023-2005 | Quadart® Manual | 35 |
| 023-2006 | IOP Manual | 20 |
| 023-2007 | GPIB Manual | 20 |
| 023-2009 | CSP Manual | 20 |
| 023-2011 | WDI-II Manual | 20 |
| 023-2016 | 68000 Board Family Manual | 20 |
| 023-2019 | CNI Manual | 20 |
| 023-2020 | 64KZ II Manual | 20 |
| 023-2021 | 256KZ Manual | 20 |
| 023-2022 | 64FDC Manual | 20 |
| 023-4006 | LISP Manual | 20 |
| 023-4015 | SDI Graphics Software Manual | 20 |
| 023-4022 | Cromix® Operating System Manual | 35 |
| 023-4024 | Data Base Reporter Manual (DBR) | 20 5 |
| 023-4026 | Link & Lib Manual | 20 |
| 023-4027 | Formatter II Manual | 20 |
| 023-4029 023-4031 | C Programming Language Manual WriteMaster® Manual | 35 |
| 023-4032 | IOP Development Software Manual | 20 |
| 023-4032 | RBTE Manual | 35 |
| 023-4033 | SlideMaster® Manual | 35 |
| 023-4034 | Overlay Linker Manual | 20 |
| 023-4037 | Fontmaster TM Manual | 35 |
| 023-4038 | Debug Manual | 5 |
| UZJ-4UJÖ | Debug Manual | 5 |

| Part Number | Description | \$ Price |
|----------------------|---|----------|
| | Documentation (Continued) | |
| 023-4040 | PlanMaster Manual | 20 |
| 023-4041 | SpellMaster® Manual | 20 |
| 023-4043 | KSAM Manual | 20 |
|)23-4045 | 68000 Instruction Set Manual | 15 |
| 023-4046 | 68000 Fortran Manual | 35 |
| 023-4047 | 68000 Pascal Manual | 35 |
| 023-4048 | C-10 TM WriteMaster® Manual C-10 TM PlanMaster Manual | 20 20 |
| 023-4049 023-4050 | C-10 ⁻⁷⁷ Structured Basic Manual | 20 |
| 023-4051 | StatMaster Manual | 20 |
| 023-4052 | Cromix® Driver Manual | 35 |
| 023-4053 | 68000 Assembler Manual | 20 |
| 023-4054 | 68000 Debugger Manual | 20 |
| 023-4055 | 68000 Linker Manual | 20 |
| 023-4056 | 68000C | · 20 |
| 023-4058 | C-10 TM Technical Reference | 35 |
| 023-4059 | C-Net Software Manual | 20 |
| 023-6011 | Tandon TM100 Technical Manual | 20 |
| 023-6013 | Diagnostics Software Manual | 20 |
| 023-6014 | RGB-13 User Manual | 5 |
| 23-6016 | BRZ II & III Manual | 5 |
| 23-6018 | System Zero® Manual | 20 |
| 023-6019 | RGB-13 Technical Manual | 20 |
|)23-6021 | System Two® Manual | 20 |
| 23-6022 | System One TM Manual | 20 |
| 23-6024 | 3715 Printer User's Manual | 5 |
| 23-6025 | 3102 User Manual S/N > 10000 | 20 |
| 23-6028 | HD5 Hard Disk Specification Manual | 20 |
| 23-6029 | MDM 1200 User's Manual | 20 |
|)23-6030 | 3703G Printer User's Manual | 20 |
| 023-6031 | TDS Manual | 20 |
| 023-6032 | 3355B Printer Product Description Manual | 20 20 |
|)23-6033)23-6034 | 3355B Printer User's Manual HD5 Installation Procedure | 20 5 |
| 023-6036 | TDS Users Manual | 5 |
| 023-6037 | C-10 TM User Manual | 20 |
| 023-6038 | System Three® Manual | 20 |
| 023-6040 | TM848 Manual | 20 |
| 023-6041 | C-1 and CTI Manual | 20 |
| 023-6042 | HD20 Installation Procedure | 20 |
| 023-6043 | HD20 Technical Manual | 20 |
| 023-6044 | CLQ Manual | 20 |
| 023-6046 | CLQ Theory of Operation | 20 |
| HDOC | Hardware and Service Manuals | 500 |
| SDOC | Software Manuals | 500 |
| HDSS-D | Hardware & Service Documentation | 300 |
| | Subscription Service—Domestic | |
| SDSS-D | Software Documentation Subscription Service —Domestic | 300 |
| HDSS-I | Hardware & Service Documentation | 350 |
| | | |
| | Subscription Service—International | 350 |

Cromemco®

Cromemco, Inc.

280 Bernardo Ave.
P.O. Box 7400
Mountain View, CA 94039
(415) 964-7400
TWX 910-379 6988

Suggested U.S. retail prices in dollars. Prices and specifications are subject to change without notice.

© Copyright Cromemco, Inc. 1983

Printed in U.S.A. 0983 30M